#### **Features**

Truck	Standard	Options
48V permanent magnet synchronous drive motor	•	
lydraulic power unit	•	
PU wheel	•	
L150mm fork length	•	
570mm outside fork width	•	
Overhead guard	•	
.ifting damping system	•	
Multi-function tiller	•	
48V/80Ah lithium battery (EVE)	•	
Additional wheels	•	
Dual load wheels	•	
JSB power supply	•	
Fork lift & lower adopts stepless speed regulating	•	
Different length of forks		0
Different width of outside fork		0
Different lift height (see mast table)		0
Key switch		0
48V/105Ah lithium battery (EVE)		0
48V/125Ah lithium battery (CATL)		0
_oad backrest		0
Lithium battery(48V/80Ah,EVE) with the on-board charger(48V,20A)		0
ithium battery(48V/105Ah,EVE) with the on-board charger(48V,20A)		0
Controls and instruments		
Electric steering	•	
Systech controller	•	
nteractive meter	•	
Non contact interlock switch	•	
Safety		
Emergency disconnect switch	•	
Horn	•	
PIN code access	•	
Turning deceleration	•	



Add : Town House Cordoba 59
Kamal Muara, Penjaringan,
Jakarta Utara 14470
Tel : (021) 225 743 51
HP : +62 822 9888 9558









# X SERIES RIDER PALLET STACKERS


Are a new generation of products newly developed by Hangcha for warehousing and logistics applications. Using the advanced permanent magnet brushless drive technology and equipped with a new 48V system, the products have advanced performance, comfortable, safe and reliable operations and low use and maintenance costs, and are ideal tools for loading, unloading and handling palletized goods in warehouses, supermarkets, workshops.

#### **APPEARANCE**

The X series rider pallet stacker adopts a professional industrial design of exterior and a series family design.

The truck has a smooth vivid profile and a fully ergonomic design, following the latest exterior design trend.





#### **HIGH PERFORMANCE**

- With the VCU control, the truck can be controlled accurately, stably and more efficiently.
- Regenerative brake and slope anti-slide function are offered by this truck.
- The electric steering feature enables easier and more flexible operation.



With high power drive motor, provides fast travel speed and good gradeability.









9.0 km/h




The proportional lifting/lowering speed regulation system enables more stable and accurate

#### **COMFORT**

- Customer can choose different width of outside fork and length of forks to fit variable pallet.
- The standing driving pedal with shock-absorbing design significantly improves standing driving comfort and reduces long-time driving fatigue.







Optimized designing structure can offer a good visibility and easy entrance of the pallet.

Displayed turtle speed function applied to move slowly and helps to stack goods in narrow spaces.



The compact body and big rounded design provide an ideal operation in limited space, and the wedge designed chassis greatly increases the passing ability.



**PROTECT YOUR** INVESTMENT

#### **RELIABILITY**

The battery is reliably fixed and the battery cover is support by soft materials, so that the vibration and noise generated during the operation of the vehicle are reduced.

The stamped fork with higher strength and impact resistance, and guided fork prongs, further improve operation efficiency.



Water-proof plugs and connectors applied to provide a reliable protection to electric system.




The power plug is fixed on the truck body to avoid damage from battery installment.



(Option)Lithium battery with the on-board charger(48V,20A)





The fault information can be checked directly via the interactive instruments instead of the manual.



#### **MAINTENANCE**

Rear cover can be completely open, so the maintenance is very convenient.

All shafts installed lubricated shaft sleeve and oil cup, provide convenient maintenance and long service life.

Permanent magnet synchronous motor need no maintenance.

#### **SAFETY**

- Turning speed is automatically reduced when steering.
- With three braking types: releasing brake, reversing brake and emergency brake, the driving safety has been ensured.
- The applied slope anti-slip function ensures the safety of the operation.
- The lifting buffering function can ensure the safety of the truck when the fork is lifted to the top.



The truck with assembly overhead guard can protect the driver's safety in case of high-position cargo falling. avoid the harm to the driver.



The emergency button on the tiller head can effectively




Foot detection sensor - trucks slows down or stops if operator's foot is detected outside of the platform contours



Travel speed will be automatically reduced after fork lifting 500mm. It has an intelligent soft landing that automatically slows down the lowering speed when the fork is less than **100mm** above the ground, effectively protecting cargo safety. (available for duplex mast)

# LITHIUM POWERED



### LITHIUM BATTERY ADVANTAGES



#### Long service life

4000 full charging cycles with at least 75% residual capacity



#### Return on investment

Add flexibility to your operation, cost-saving in the long term, increased efficiencies.



#### Maintenance free

No topping up of water or checking acid levels.



The high energy density of the Li-lon battery ensures long



#### Cold area application

Li-lon batteries maintain high performance at temperatures



#### High safety and reliability

Intelligent battery management monitoring every important function, no emission of battery gasses.



#### Opportunity charging

Full performance during several shifts thanks to effective interim charging.




#### High energy density

working times and increases the high availability.

# **FEATURES & BENEFITS** THE HANGCHA DIFFERENCE


# **Efficiency**

By quick opportunity charging any downtime, such as a lunch break, can be efficiently used and the battery is recharged in a very short period of time. Interim charging does not affect the battery service life.



## Safety

- / Intelligent battery management monitoring every important function.
- / Higher user safety, thanks to acid-free use.
- / User friendly due to avoided battery change
- / No emission of battery gasses.





#### Q: What are the characteristics of lithium batteries, especially when used in high and low temperature environments?

Charging temperature -30°C -65°C Discharge temperature: -30°C -65°C Storage environment temperature:

After the truck key switch is closed, the instrument battery condition needs to be checked:

- 1. Confirm that there is no battery system alarm message on the instrument panel 2. Please check the remaining power before use. It is recommended to use the SOC between 50% and 100%.
- 3. If the SOC is lower than 20% it is not recommended to continue using it Please charge it as soon as possible.



#### O: What is the charging time and usage time calculation of forklift lithium battery?

- 1. Available power of lithium battery (kWh) = rated voltage × rated power × 90% To avoid over-discharge damaging the battery, the forklift is equipped with low power protection (less than 10%)).
- 2. Charging time (h) = rated capacity of lithium battery (Ah) × 90% ÷ charger output current (A).
- 3. The power consumed for charging (kWh) = the available power of the lithium battery + 93% (the charging efficiency of the charger is calculated as 93%). 4. Usage time (h) = available power of lithium battery + energy consumption data. For specific energy consumption values, please refer to the technical table on the sharing platform.



#### Q: How does Hangcha BMS work to ensure the safety of the lithium battery?

HANGCHA BMS (battery management system) can monitor the cells at all times. As a result, hangcha lithium power is the reliable solution



#### **Battery Safety Management:**

Overcharge/over discharge protection Overcurrent/over-temperature/low-temperature protection Multi-level fault diagnosis protection Double fault monitoring



#### Battery Parameter Detection:

Battery voltage detection and analysis Battery current detection and analysis Battery temperature detection and analysis



#### Equilibrium Management:

Equalization based on voltage mode Equalization based on time mode Equalization based on battery cell SOC Active/passive equalization optional



#### Other Features:

Low cost, low power consumption Historical data record Flexible cascade expansion CRC data validation