

HERRO
PT. HERRO DYNAMICS INDONESIA

Add : Town House Cordoba 59
Kamal Muara, Penjaringan,
Jakarta Utara 14470
Tel : (021) 225 743 51
HP : +62 822 9888 9558

WWW.HANGCHA.CO.ID



XA Series Electric Forklift Truck

with capacities of 3,000 to 3,500kg

The World of Hangcha
SINCE 1956



XA Series Electric Forklift Truck

XA series four-point light-duty lithium battery forklift are quality-guaranteed cost-efficient new products with a redesigned internal structure, which inherit the classic exterior design of Hangcha's A series products and are applicable to light-duty operation scenes.



Stylish exterior

- / Inherit the classic exterior design of A series electric forklifts.
- / With adjusted truck structure ratio, the 3t model is sturdier and works better. Colored yellow and black, it is eye-catching and stylish. It is compact but not cramped.

Comfortable experience

- / The wide-view mast with optimized design is unlikely to obstruct the operator's line of sight. The enlarged opening size of the fork carriage enables a wider view, a large operation space, and excellent ergonomic design.
- / The multifunctional color-screen instruments are designed to have graphical interfaces and display data clearly. The interfaces can be switched to be shown in Chinese and English to meet the needs of customers at home and abroad.

Sturdy and durable

- / The sturdy and durable mast, front and rear axles, and tires for internal combustion forklifts are used. With a large distance from the ground, the forklift can be easily driven on the bumpy ground outdoors.
- / The truck uses a large number of mature parts with stable and reliable quality, and the aftersales maintenance is convenient.
- / With performance and battery life balanced perfectly, the forklift is applicable to light-duty scenes.
- / Its performance is competitive even in comparison with competing models.

Cost-efficient

- / Aiming at light-duty forklift users and equipped with high-end key parts instead of a plurality of optional parts, the forklift is cost-efficient and enables easy handling.
- / A practical and convenient integrated 35A charger with a 220V charging plug is provided for the standard configuration.
- / Cost-efficient CATL battery cells with good quality and a long life are used.



Standard Specification

- / Standard duplex mast
- / Two-way multi-way valve
- / Standard fork, fork carriage and load backrest
- / Combination Switch
- / Speed mode selection
- / Traction pin
- / Silent gear pump
- / Rearview mirror
- / Multifunctional color-screen instruments
- / Fuse box
- / DC-DC converter
- / Drive and lifting controllers
- / Standard lithium battery
- / Integral stamped side panel and hood
- / Emergency power off switch
- / Standard seat
- / Handbrake
- / Reverse buzzer
- / Pedal pad
- / Lifting and tilting joystick
- / LED headlight, turn signal light, combination LED tail light

Options

- / Triple multi-way valve
- / Left and right rear view mirrors
- / Widened / heightened load backrest
- / Widened fork carriage
- / Forks of other lengths
- / Rear lamp
- / Alarm light
- / Solid tire

Optional Battery List

Capacity (Ah)	3t 80V	3.5t 80V
202	●	●

Note: ● Battery Std; ○ Battery Opt; — Null

