

Add : Town House Cordoba 59 Kamal Muara, Penjaringan, Jakarta Utara 14470

Tel : (021) 225 743 51 HP : +62 822 9888 9558









WWW.HANGCHA.CO.ID







XF Series Diesel Counterbalanced Trucks

with capacities of 8,000 to 12,000kg




HANGCHA be with you at every stage

Efficient, reliable solutions for your demands



With Hangcha you can meet all Stage V emissions standards which provides customer demands for value, innovation and performance. The technologies include ,TCI+CR+EGR+DOC+DPF+SCR. Designed and optimised to every engine model, our forklift truck maximises efficiency and reliability.





Interactive instrument: The instrument adopts LCD display with four interactive buttons, and has one CAN bus communication function. The communication protocol is compatible with CANopen and SAE J1939 standards.

HANGCHA Forklift with StageV

No.	Capacity	Series	Manufacturer	Engine	Drive power	Model	Emission Std.	Transmission	Power (kw/rpm)	Service brake
1	8.0t	XF	DEUTZ	TCD3.6 L4	Diesel	CPCD80-XW96G	Stage V	ZF	85/2200	Hydraulic
2	10t	XF	DEUTZ	TCD3.6 L4	Diesel	CPCD100-XW96G	Stage V	ZF	85/2200	Hydraulic
3	12t	XF	DEUTZ	TCD3.6 L4	Diesel	CPCD120-XXW96	Stage V	TCM	85/2200	Hydraulic

Note: Stage V applied for European Union also including Israel and Turkey

Simple/ Solid/ Smart






Comfortable Operation

In developing the new XF 8-12t series, comfort and easy operation is always considered, for example, inproved vibrating levels, compound engine damper and full floationg seat and cabin are applied.

Comfortable also contribute to increased productivity.





In addition to the soft landing system, the soft lifting system is adopted (front lifting cylinders of triplex mast and full free duplex mast), as a result, the noise and shock of the mast significantly decreases.



The new design mast provides broad forward visibility due to outside located hydraulic pipes of fork positioner.



The extra foot space is provided to reduce operator fatigue significantly. The new wide-open, non-slip step makes getting in and out easy and safe.

The optional Electro-hydraulic proportional control system contributes more sensitive and precise load handling. The easy-to-operate levers provide total load handling operation. An armrest is provided to reduce fatigue.



Environmental Friendliness

Environmentally friendly material, low exhaust emission, and low noise level, all these are considered at the beginning of the product development.

Special developed engine is applied for optimum balance of power and superior environmental performance. All diesel engines are in com-pliance with EU stage-III control regulation.

The environment friendly materials, such as non-asbestosbrake shoe and new type sealing gasket, are adopted entirely to meet environmental safety.





The applied optimized exhaust muffler, intake muffler and the noise shield technologies are reduced 3dB at the driver's ear noise level

Productivity


Thanks to the series technological innovations, the efficiency of the truck is improved, the energy consumption is reduced.




By optimizing transmission design, the power train provides higher efficiency, and the Max. driving speed is increased 20%



The new efficiency LED lighting system and new type reflector reduce energy consumption, improve illumination performance and prolong working life.





The new patent dynamic load sensing hydraulic steering system contributes to reduce loss of hydraulic, improve energy consumption and increase 15% lifting speed.

Comfortable Operation

- **1.** The new, relocated easy-to-see LCD meter lets the operator check on all aspects of operational status at a glance.
- The new automobile-style light/turn-signal lever and forward-reverse lever are ergonomically designed and arranged to improve comfort and productivity.
- 3. Only 90N parking brake force is required.
- **4.** The small diameter steering wheel with tilt adjustment provides the ideal operating position. The superior responsiveness of the steering wheel optimizes maneuverability even in narrow spaces.
- 5. The automobile-style suspended nedals provide more ergonomic operation



Reliability

By focusing on enhancing reliability, reducing downtime, the XF series is able to make the greater productivity for customer.

The patent plated-fin type aluminum radiator is applied, the heat exchanging is approved, and improves the capability for operation in severe environments.








There're four levels shock absorption applied to reduced the vibration from the road to the driver. The damping pad is applied reduce the vibration, Like between the steering axle and the chassis, The engine, torque convertor and the chassis, the overhead guard and the chassis. And the suspension seat is another vibration reduction.

High strength chassis,mast and front/rear axle are to make sure the reliability of the truck,even for high strength application.





All the controllers, relays, and safety fuses are allocated in the controller box, free to water and dust.

The main electronic components are waterproof, which is capable operater in severe environment.

Easy Maintenance









Careful design facilitates inspection and servicing. Easy maintenance reduces the amount of downtime and helps to reduce cost also.

The location of the air-filter is easy to reach, and it's very easy to replace the filter.

Brake drum is installed outside of wheel hub, easy to remove and install when we replace the brake shoes.

All the locations of the engine oil level dipstick, filter of hydraulic,water separator are easy to reach, and very easy for engineer to check.

There's gas spring support for the front cover of radiator, an it can auto-open when the rear cover of radiator is opened.



The new stamped air cleaner featuring tangential intake, double seal with safety filter is durable, corrosion-free and vibration-resistant, provides better filter efficiency and lower intake resistance than the previous.



The battery is located above the fuel tank, there's battery box and adiabatic plate between them to prolong the battery's workling life.





Add return oil filter of gearbox and multi-valve, improving the cleaness of transmission and hydraulic oil...

Safety

A wide range of technologies are applied to ensure absolute safety for both the operator and those in the surrounding. Independent braking and steering circuit without interference.



There's an energy accumulator applied in the braking system, which means when the engine is shut down,it can also provides more than 4 times emergency brake.



The locking device of the engine hood damper and parking brake help add to safety.



- The seat sensor system incorporates lifting/tilting and traveling locking function. When the operator leaves the seat, the system automatically locks lifting/tilting and disables traveling to ensure safety.
- **2.** A throttling device is adopted to avoid the mast being out of control even some pipes are broken.

Standards

Transmission	Steering	Chassiss	Control	Hydraulic
/ Suspension transmission	/ Full hydraulic power steering	/ Skidproof pedal	/ Power steering	/ Dynamic load sending control valve
/ Oil filter	/ Smaller diameter steering wheel	/ Rubber pedal	/ Suspension pedal	/ Hydraulic oil filter
/ Dipstick	/ Adjuster of steering wheel	/ Engine hood spring	/ Integrated combination switch	/ Tilt cylinder self-lock valve
/ Oil cooler	/ Shock absorber of steering axle		/ Parking brake	/ Hydraulic oil dipstick
/ Non-asbesttos bake				/ Accumulator
/ Drum brake				/ Hydraulic oil radiator
/ Wet brake (W75)				

Truck	Power	Electronics		Mast
/ Traction device / Hand grip / Standard seat / Floating overhead guard / Waterproof cover on the guard / Back view mirror / Pneumatic tyres / Toolbox	/ Big capacity aluminum radiator / Whirlwind air cleaner / Safety filter / High-efflcient intake muffler / High-efflcient exhaust muffler	/ High-efficient front lights / High-efficient LED rear lights / Service-free start battery / Combination controller / LCD display / Neutual switch / Hour meter / Fuel gauge / Water temperature gauge	/ Pre-heat indicator / Charging indicator / Engine fuel pressure warning / Oil temperature / Horn / Reversing buzzer / Air-filter with jam sensor / Emergency power off	/ Standard wide view duplex mast / Standard forks / Standard fork carriage / Mast speed limiting valve / Load safety valve / Mast down buffer device / Mast up buffer device / Side roller / Fork positioner

Options

Truck	Transmission	Power	Hydraulic	Electronics	Mast
/ Floating cabin / Cabin heater / Front window / Super elastic tyre / Non-mark tyre(white/green) / Suspension seat / Extinguisher / Special given color / Boot for tilt cylinder / Counter weight net / Seat sensor system	/ Wet brake	/ Upright exhaust system / Air pre-cleaner / Net cover of radiator / Spark arrester / Purified exhaust system / Fan protector	/ Auxiliary hydraulic valve / Elecctro-hydraulic / Proportional control system	/ OBD / Front working light / Rear working light / Warning lamp	/ Duplex wide view free-lift mast / Triplex wide view free-lift mast / Special forks / Wider fork carriage / Widerload back rest

Optional Attachments

/ Paper roll clamp / Sideshifter

/ Rotating bale clamp / Rotating forks

/ Load stabilizer / Fork extensioner

/ Multi-drum clamp / Load release device

/ Bale clamp / Carton clamp

/ Drum clamp / Push-pull device

/ Dumping clamp / Bucket

/ Crane arm / Hook

/ String Pole / Lengthened fork

